




Oil Pattern Distance Reverse Brush Drop 40 Oil Per Board Multi ul 10.9 mL 24.65 mL **Forward Oil Total Reverse Oil Total Volume Oil Total** 13.75 mL **Tank Configuration Tank A Conditioner Tank B Conditioner** Only A infinity infinity

	START	STOP	LOAD5	MIC5	SPEED	CROSSED	START	END	FEET	T.OIL
1	3L	3R	1	50	14	35	0.0	0.0	0.0	1750
2	5L	5R	2	50	14	62	0.0	3.9	3.9	3100
3	7L	7R	3	50	18	81	3.9	11.5	7.6	4050
4	8L	8R	1	50	18	25	11.5	14.0	2.5	1250
5	10L	10R	1	50	18	21	14.0	16.5	2.5	1050
6	11L	11R	2	50	22	38	16.5	22.7	6.2	1900
7	14L	14R	1	50	22	13	22.7	25.8	3.1	650
8	2L	2R	0	50	26	0	25.8	42.0	16.2	0

	START	STOP	LOAD5	MIC5	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	50	26	0	42.0	38.0	-4.0	0
2	15L	15R	1	50	26	11	38.0	34.4	-3.6	550
3	13L	13R	1	50	22	15	34.4	31.3	-3.1	750
4	12L	12R	2	50	22	34	31.3	25.1	-6.2	1700
5	10L	10R	1	50	18	21	25.1	22.6	-2.5	1050
6	8L	8R	2	50	18	50	22.6	17.5	-5.1	2500
7	7L	7R	2	50	18	54	17.5	12.4	-5.1	2700
8	4L	4R	1	50	14	33	12.4	10.5	-1.9	1650
9	2L	2R	0	50	14	0	10.5	0.0	-10.5	0
9	ZL	ZK	0	30	14		10.5	0.0	-10.5	·

Cleaner Ratio Main Mix NA
Cleaner Ratio Back End Mix NA
Cleaner Ratio Back End Distance NA
Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	Middle:Outside Track 5.25
escription	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	
Frack Zone Ratio	5.25	1,46	1.03	1.03	1.46	
1500 1350 1200 1050 900 750 600 450 300 150 0 1 1	3 4 5 6 7 8	3 10 11 12 13 14 15	16 17 18 19 20 19	18 17 16 15 14 13 1	2 11 10 9 8 7 6	5 4 3 2 1